
WE CLAIM:

1. A compound having formula (6)



wherein:

D6 is an electron donor moiety;

C6 is a conjugated bridging moiety;

A6 is an electron acceptor moiety;

R6 is a spacer moiety;

S6 is a hydrocarbon, a heterocyclic moiety, or a hetero-acyclic moiety;

c' is an integer;

Z6 is a polymerizable moiety; and

e" is the degree of polymerization.

- 2. The compound of claim 1, wherein D6 is selected from the group consisting of:
- (a) an atom selected from the group consisting of N, O, S, P, Cl, Br, and I where the valence of the atom is satisfied by bonding with C6 and optionally with Z6;
- (b) an atom selected from the group consisting of N, O, S, and P bonded to C6, and optionally with Z6, where the atom also is bonded to at least one other moiety to satisfy the valence of the atom;
- (c) ferrocenyl;
- (d) azulenyl; and
- (e) at least one aromatic heterocyclic ring.

- 3. The compound of claim 1, wherein C6 is selected from the group consisting of:
- (a) at least one aromatic ring;
- (b) at least one aromatic ring conjugated through one or more ethenyl or ethynyl bonds; and
- (c) fused aromatic rings.
- 4. The compound of claim 1, wherein A6 is selected from the group consisting of:
- (a) an aldehyde;
- (b) a ketone;
- (c) an ester;
- (d) a carboxylic acid;
- (e) cyano;
- (f) nitro;
- (g) nitroso;
- (h) a sulfur-based group;
- (i) a fluorine atom;
- (j) an alkene; and
- (k) a boron atom.
- 5. The compound of claim 1, wherein R6 is selected from the group consisting of:
- (a) a direct bond;
- (b) an oxygen atom;
- (c) a sulfur containing moiety;
- (d) a glycol ether unit having a formula –(O-CH₂-CH₂)_n-O- where n is an integer; and
- (e) a nitrogen containing moiety.
- 6. The compound of claim 1, wherein the hydrocarbon of S6 is selected from the group consisting of:
- (a) a straight chain alkyl group;
- (b) a branched alkyl group;
- (c) at least one cycloalkyl group, optionally substituted with an alkyl group, an arylalkyl group, an alkylaryl group, a cycloalkyl group, or an alkylcycloalkyl group; and


- (d) an arylalkyl group or an alkylaryl group.
 - 7. The compound of claim 1, wherein S6 includes a liquid crystal moiety.
- 8. The compound of claim 1, wherein Z6 is selected from the group consisting of:

 $H_2C=CH-C(O)-O-(acryl),$

 $H_2C=C(CH_3)-C(O)-O-$ (methacryl),


 $H_2C=C(C_2H_5)-C(O)O$ - (ethacryl),

- -CH=CH₂ (vinyl), and
- $-C(CH_3)=CH_2$.
- 9. The compound of claim 1, wherein Z6 includes a substitution with a moiety selected from the group consisting of:
- (a) an alkyl chain; and
- (b) a substituted alkyl chain selected from the group consisting of: an alkoxy, a halide substituted alkyl group, and an amino-alkyl group.
- 10. The compound of claim 1, wherein the compound of formula (6) is selected from the group consisting of:



wherein D6, C6, A6, R6, S6, and Z6 are indicated.

11. A composition comprised of a liquid crystal and a compound having formula (6)



wherein:

D6 is an electron donor moiety;

C6 is a conjugated bridging moiety;

A6 is an electron acceptor moiety;

R6 is a spacer moiety;

S6 is a liquid crystal compatibilizing moiety;

c' is an integer;

Z6 is a polymerizable moiety; and

e" is the degree of polymerization.

- 12. The composition of claim 11, wherein D6 is selected from the group consisting of:
- (a) an atom selected from the group consisting of N, O, S, P, Cl, Br, and I where the valence of the atom is satisfied by bonding with C6 and optionally with Z6;
- (b) an atom selected from the group consisting of N, O, S, and P bonded to C6, and optionally with Z6, where the atom also is bonded to at least one other moiety to satisfy the valence of the atom;
- (c) ferrocenyl;
- (d) azulenyl; and
- (e) at least one aromatic heterocyclic ring.
- 13. The composition of claim 11, wherein C6 is selected from the group consisting of:
- (a) at least one aromatic ring;
- (b) at least one aromatic ring conjugated through one or more ethenyl or ethynyl bonds; and

- (c) fused aromatic rings.
- 14. The composition of claim 11, wherein A6 is selected from the group consisting of:
- (a) an aldehyde;
- (b) a ketone;
- (c) an ester;
- (d) a carboxylic acid;
- (e) cyano;
- (f) nitro;
- (g) nitroso;
- (h) a sulfur-based group;
- (i) a fluorine atom;
- (j) an alkene; and
- (k) a boron atom.
- 15. The composition of claim 11, wherein R6 is selected from the group consisting of:
- (a) a direct bond;
- (b) an oxygen atom;
- (c) a sulfur containing moiety;
- (d) a glycol ether unit having a formula –(O-CH₂-CH₂)_n-O- where n is an integer; and
- (e) a nitrogen containing moiety.
- 16. The composition of claim 11, wherein S6 is a hydrocarbon selected from the group consisting of:
- (a) a straight chain alkyl group;
- (b) a branched alkyl group;
- (c) at least one cycloalkyl group, optionally substituted with an alkyl group, an arylalkyl group, an alkylaryl group, a cycloalkyl group, or an alkylcycloalkyl group; and
- (d) an arylalkyl group or an alkylaryl group.
 - 17. The composition of claim 11, wherein S6 includes a liquid crystal moiety.

18. The composition of claim 11, wherein Z6 is selected from the group consisting of:

 $H_2C=CH-C(O)-O-(acryl)$,


 $H_2C=C(CH_3)-C(O)-O-$ (methacryl),

 $H_2C=C(C_2H_5)-C(O)O$ - (ethacryl),

-CH=CH₂ (vinyl), and

 $-C(CH_3)=CH_2$.

- 19. The composition of claim 11, wherein Z6 includes a substitution with a moiety selected from the group consisting of:
- (a) an alkyl chain; and
- (b) a substituted alkyl chain selected from the group consisting of: an alkoxy, a halide substituted alkyl group, and an amino-alkyl group.
- 20. The composition of claim 11, wherein the compound of formula (6) is selected from the group consisting of:



wherein D6, C6, A6, R6, S6, and Z6 are indicated.